



News from the world of sewing



SCHMETZ



Black Super Stretch Needle

System HAx1 SP SU

with medium ball point; eye and thread groove are wider; the nonstick coating ensures better glideability and the special blade design helps to reduce needle breakage and skipped stitches; for sensitive highly elastic stretch fabrics such as lingerie fabrics

Needle size NM 75 and NM 90



Gold Jeans Needle

System 130/705 H-JT

with medium ball point; longer service life of the needle thanks to wear protection coating; in addition, the special blade design reduces deflection of the needle and reduces the risk of needle breakage and skipped stitches; for denim (jeans) and similarly thick woven fabrics

Needle size NM 90 and NM 100



Black Super Fine Needle

System 130/705 H-SU XS

with slim, slightly rounded point; the very slim needle design and smooth nonstick coating ensure particularly gentle handling of sensitive materials and reduced adhesion on the needle; for very fine, delicate and light-weight fabrics such as silk, organza and voile, even in combination with adhesive stabilizers

Needle size NM 60 and NM 70





Longarm Quilting Needle

System 135x5 MR

with acute point for precise penetration; the needle's special scarf makes sure the thread is picked up easily and skipped stitches are avoided even with frequent changes of direction by the needle during quilting; for quilting with special long arm machines

Needle size NM 100



Felting Needle

System 18x38x1

with barbs for decorative needlefelt work. Fibres are transported through the needle stitches, thereby incorporating fabrics or other suitable materials such as woollen fiber webs or wool threads into a base material. Felting needles do not have an eye and are not suitable for normal sewing with thread.



Leather Needle DH

System 130/705 H DH

with cutting point DH (= half triangular point) for easier penetration; for straight seams on leather, hard synthetic leather or similar materials. Not suitable for woven or knitted fabrics

Needle size NM 100



Ferd. SCHMETZ GmbH

Parkweg 2

72458 Albstadt, Germany

Phone: +49 (0) 7431 / 10-3555

Fax: +49 (0) 7431 / 10-3542

sales@schmetz.com

www.schmetz.com



SCHMETZ